

ISPM HT LIC. No. - IN - 483 HT

SAW-MILL & STOCKIST OF CONSTRUCTION MATERIALS

MANUFACTURERS OF WOODEN PALLETS & BOX TIMBER (HARDWOOD & SOFTWOOD)

STOCKIST OF TMT BAR, CEMENT & PLYWOOD

www.ssttimber.com



about us

We would like to introduce ourselves as manufacturer of Wooden Pallets, Wooden Box, Supplier of Timber / Wood (Hardwood & Softwood). We have been supplying high quality Timber, wooden pallets since 1990. we are having experience of more than three decades in manufacturing of Wooden Pallets and Drums.

Our core competency is to supply high quality Wooden Pallets made from quality wood, with high density & Load bearing capacity. We are one of the largest suppliers of Wooden Pallets.

Our team thoroughly checks the logs that we procure from our reliable vendors which make us eligible to offer our clients better than their expectations. With one of the most organised and well planned facility in timber market, our production process of products ensures the reliability and good quality at a competitive market price.

With Experience of more than 4 decades in Timber industry Our main objective is to "deliver excellent value to our customers & create value for our employees & society at large", by providing unmatched satisfaction through personalized and professionalized service.

our clients































why us

Extended Capacity

• Our Pallet application ranges from 800 kg to 2 tons in dynamic conditions and upto 5 tons load capacity in static conditions.

Premium Lumber

• Sourcing best quality New Zealand, Europe, Baltic state lumber.

100% In-House Facility

Sourcing Timber → Timber Cutting & Plaining → Timber Vacuum Impregnation Process → ISPM
Heat Treatment Process → Pallet assembly → Dispatch



Timber Treatment

(ISPM Ht & Timber Vaccum Impregnation Chemical Treatment)

we have our Inhouse Timber Vaccum Impregnation Chemical Treatment Plant which is used to infuse Protect Chemical which helps in removing any chance of Termite generation in Timber.

This treated wood is then kept in Heat Treatment chambers in our workshop where the Timber planks are stacked and in kept for 60 Minutes at Temperature of 56 degree Celsius which reduces the moisture of the Planks to less than 20 %. Our ISPM HT LICENSE NO. is - IN - 483 HT

OUR PRODUCTS

Film Face Shuttering Plywood

We offer Film Faced Shuttering Plywood/ Marine Plywood/ Commercial Grade Plywood from India.

STANDARD SIZES:

• 244 x 122 cm

• 184 x 92 cm

• 244 x 92 cm

• 154 x 122 cm

• 184 x 122 cm

154 x 92 cm



Commercial & Marine Plywood & Flush Doors

We are Major Stockists of BWR, Commercial, Marine & Film Faced Plywood. We are having the below mentioned grades in ready stocks AA & BB grade Plywood for furniture works. Consisting of layers of wood veneers that are glued and Hotpressed together. Ply BWR & MR grade IS 303: 1989, Highly water proof marine Ply IS 710: 1976

PLYWOOD STANDARD SIZES :

PLYWOOD STANDARD THICKNESS:

· 244 x 122 cm

• 6 mm

· 244 x 92 cm

• 9 mm

• 184 x 122 cm

• 12 mm

• 184 x 92 cm

• 15/16 mm

• 154 x 122 cm

• 18/19 mm

• 154 x 92 cm

• 25 mm

Flush Doors- 25mm, 30mm

Cement

SST has been one of the most trusted and reputed suppliers of different types of cement because of its relations with many cement making companies like Kamal Cement, Hathi Cement as their authorized dealers. We also import various types of cement to meet the requirements of our customers. We stock and supply about 3 lakhs metric tons of quality cement each year.











TMT Bars & Binding Wire

We offer our clients a wide range of structural steel which is widely used for steel construction. Excellent durability and matchless functionality are the salient features of these structural steel. We Stock Essar, TATA & Gallant Brand TMT Bars

• Steel Round Bars: Tor Steel, Fe 415, TMT 500 - Gallant

Thickness: 8, 10, 12, 16, 20, 25, 32 (mm)Length: 36, 40 & Specific Lengths

• Quality: TMT- 415, TMT - 500 & Tor -40







Wooden / Plywood box & Crate

We are a leading Manufacturer of industrial wooden export packaging boxes, wooden crate packing box, wooden box, wooden packing box, plywood packing box and wooden packaging box and crate from Ahmedabad, India.

We manufacture wooden Boxes & Crates as per the dimensions and sizes, as per the need of customers i.e Fully Close and Partially Close. We can customize to build any standard existing design or work with you to develop a new solution.

Wooden Crates & Boxes can be manufacture from Hard wood, Pine wood and Plywood as per the requirement







Tiles Epoxy

Tiles with long-lasting effects always make your space look avid. Go for Epoxy Grout to attain a seamless experience of living.

a) Epoxy Shine 200 b) Epoxy Simple 100

FEATURES: Epoxy Grout are created by combining two distinct resins with a ller, making them waterproof and better suited to abrasive cleaning agents. They can withstand high dynamic pressure and are suitable for use in a range of temperatures as low as zero degree celsius. Epoxy Grout can also be used for a range of purposes.



Tiles Adhesive

Revox is a trusted name in the chemical and construction industry offering high-quality tiling solutions that are functional, durable, and economical. The product range includes tile adhesives, grouts, cleaners, and more designed for superior bonding strength, pliability, ease of use, long life, and low maintenance.

- **A) Premium Grey Adhesive :** It is recommended to x ceramic and vitried tiles up to 800x800mm on bothoors and walls of indoor area only.
- B) Platinum Gray Adhesive (NSA): It is highly recommended for xing ceramic/vitried tiles up to size 800x2000mm on wall and oor indoors and for size 1200x2400mm on outdoor/external elevation also. It is also used for Fxing marble/granite on window and door seal in rooms etc. It is used for xing cement block also.
- C) Premium White Adhesive:

It is recommended for laying/fxing all types of ceramic/vitried tiles of all sizes upto 800x3200mm for indoors as well as outdoors, on elevations and also for fxing marble and granite in indoors and outdoors both.







Floor & Wall Polymer Tile Grout

The floor & wall polymer tile grout is used for xing joints in between tiles. Ithas great adhesion (high bonding strength), water repellency capability, softconsistency, workability, and permanently seal joints, which is are why it is used for grouting of tile, stone, and marble joints and edges. The remarkable properties make the Polymer Tile Grout, the number one choice for attributing spaces a nished look. It is used for both interior & exterior and is also best for renovation work. It also gives good coverage by lling joints in all kinds of ceramic and vitried tiles, stones and mosaic.



Timber (Hardwood / Softwood)

The timber division carries a wide variety of exotic timbers, plywood and the like. We cater to the leading contracting firms across the region. We offer timber wood which is known globally to resist varying weather conditions. The timber offered through us stays incredibly natural in diverse environments.

We import a significant part of our stocks directly from mills across the globe to ensure availability, quality and competitive pricing. Shree Shivsagar Traders has established itself as one of the most reputed timber importer, now having done it for almost 2 decade with operations in Jamnagar, Kandla and Ahmedabad supported by a large number of smaller regional operational flexibility in meeting diverse customer's needs.

Other infrastructure like kiln drying, chemical treatment and container loading facilities enables us to cater to various forms of Timber requirements for export.

The different types of wood are categorized as under

Hardwood: These hardwood have unique decorative properties and when kiln dried and seasoned and/or treated with certain chemicals, it improves its structural and dimensional stability and can be used for various applications. We import hardwood from

- Myanmar (Gurjan)
- Malaysia (Balau / Sal))
- Indonesia (Red & Yellow Meranti)
- Ghana / Saagwan / Burma Teak
- Other Hardwood Babul Wood / Neem Wood / Mango Wood
- Kapoor Wood use for External Decking

Softwood: These softwood have unique decorative properties and when kiln dried and seasoned and/or treated with certain chemicals, it improves its structural and dimensional stability and can be used for various applications.

- Pine wood (New Zeland, Canadian , Southern Yellow Pine, Uruguay Pine)
- Treated Pinewood (in our Inhouse Treatement & ISPM Seasoning chambers)
- Treated Pine poles & Hardwood Poles













Tiles

In the world of interior design, finding the perfect tile that seamlessly fits into diverse spaces can be a challenge. However, the solution lies in the concept of a versatile tile collection where one design is available in different sizes. This innovative approach not only caters to aesthetic preferences but also offers flexibility in adapting to various architectural layouts.

Brands: Coral Granito, Conor Granito

Products:

- Polished Glaze Vitrified Tiles
- Glazed Vitrified Tiles
- Wall tiles
- Double Charge
- Full Body
- Step Full Body

Series:

- Italian Marble Series
- Wood Series
- Highlighter Series
- Abstract Series
- Texture Series
- Stone Series

Size:

Tile Size Available : 600 x 600, 600 x 1200

Step Size Available : 300x 1200Riser Size Available : 200 x 1200











FLOOR TILES PACKAGING DETAILS - EU PALLET

Tile Size	Area coverage/box (sqm)	Packing/box	Boxes/Pallet	Pallet/Container	Boxes/Container	sqm/Container	Weight/Box
600x600mm	1.44	4 Pcs	40	23	920	1324.8	30 KG
600x1200mm	1.44	2 pcs	37	18	666	959.04	36 KG
195x1200mm	1.40	6 pcs	37	18	666	959.04	35.5 KG
800x800mm	1.28	2 pcs	40	20	800	1024.00	33


FLOOR TILES PACKAGING DETAILS - GENERAL PALLET


Tile Size	Area coverage/box (sqm)	Packing/box	Boxes/box	Plt/container	Boxes/container	sqm/container	Weight/box
600x600mm	1.44	4 Pcs	40	23	920	1324.8	30 KG
600x1200mm	1.44	2 pcs	60,23	10,7	761	1095.84	36 KG
195x1200mm	1.40	6 pcs	60,23	10,7	761	1065.40	35.5 KG
800x800mm	1.28	2 pcs	40	20	800	1024	33 KG


Pallets


These four way entry full perimeter pallets are compatible with Forklift, Reach Truck, Stacker and are high racking Palletsand are suitable for beverage industry.


Specification	Length	Width	Thickness	Qty.	Sr. No.
Top Board	1000	100	20	10	1
Connector Board	1200	100	25	3	2
Block	175	95	89	9	3
Bottom Board	1000	100	25	5	4














1200 X 1000


These are two way entry pallets best suited for storing and racking in 3PL and FMCG industries.


Specification	Length	Width	Thickness	Qty.	Sr. No.
Top Board	1000	100	22	10	1
Connector Board	1200	100	25	3	2
Block	160	95	89	9	3
Bottom Board	1000	100	22	3	4














1200 X 1000


These are two way entry pallets best suited for storing and racking in 3PL and FMCG industries.




Specification	Length	Width	Thickness	Qty.	Sr. No.
Top Board	1000	75	20	2	1
Connector Board	1200	100	20	7	1
Runner	1000	63	120	3	2
Bottom Board	1000	63	20	3	3











1200 X 1000

These are right solutions for storing barrels, chemicals, containers, buckets etc.

SKU	Length	Width	Thickness	Qty
TOP	25	100	1200	10
СВ	25	100	1200	3
Block	85	95	160	9
Bottom	25	100	1000	3
Bottom-1	25	100	1200	2







1200 X 1200



Shree Shivsagar Traders

: JAMNAGAR DIVISION:

Near Raj Chambers, Khodiyar Colony, Jamnagar-06, Gujarat.

ph.: 0288 - 2712724, 2711665 mob. +91 93755 22126 | +91 93755 22127

mail: shivsagarjmr@gmail.com

: MUMBAI DIVISION:

Shop No 3, Regency Park, Sector 5, Kharghar -410210 mob. +91 9082394041 (Ashwani Bhatt) mob. +91 7021093007 (Manish Sharma) mail: team.sstraders@gmail.com